

ROYAL AGRO ORGANIC PVT LTD. INDIA.**MSDS OF - BIFENTHRIN 10% WP****Manufacturer of Product:-****Royal Agro Organic Pvt. Ltd.****Corporate Office:** - The Business Hub, Office No. 410 to 415, 4th Floor,

Above Ford Showroom, Karve Road,

Kothrud, Pune – 411038 (MAH- INDIA).

Contact No. : - 020 65257474**Factory:** - Gat No.-681, M.NO.1083, Pargaon-Khandala,

Dist.-Satara - 412802. (MAH-INDIA)

Contact No. -09422405074, 9422867474.**E-mail:-** sales@royalgroupglobal.in**Visit us at:** - www.royalagro.com , www.royalgroupglobal.in**1. PRODUCT IDENTIFICATION****PRODUCT NAME:** BIFENTHRIN TECHNICAL INSECTICIDE/MITICIDE**ACTIVE INGREDIENT(S):** Bifenthrin**CHEMICAL FAMILY:** Pyrethroids Pesticide**MOLECULAR FORMULA:** C₂₃H₂₂ClF₃O₂**2. HAZARDS IDENTIFICATION****EMERGENCY OVERVIEW:**

- Viscous liquid, crystalline solid or waxy solid with a very faint, slightly sweet odour.
- Slightly combustible. May support combustion at elevated temperatures.
- Thermal decomposition and burning may form toxic by-products.
- For large exposures or fire, wear personal protective equipment.
- Highly toxic to fish and aquatic organisms. Keep out of drains and water courses.
- Moderately toxic if swallowed.

POTENTIAL HEALTH EFFECTS:

Effects from overexposure result from either swallowing or coming into contact with the skin. Symptoms of overexposure include bleeding from the nose, tremors and convulsions. Contact with this product may occasionally produce skin sensations such as rashes, numbing, burning and tingling. These sensations are reversible and usually subside within 12 hours.

MEDICAL CONDITIONS AGGRAVATED:

None presently known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %
---------------	-------

Bifenthrin

89

4. FIRST AID MEASURES

EYES: Flush with plenty of water. Get medical attention if irritation occurs and persists.

SKIN: Wash with plenty of soap and water.

INGESTION: Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with a finger. Never induce vomiting or give anything by mouth to an unconscious person. Contact a medical doctor.

INHALATION: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, obtain medical attention.

NOTES TO MEDICAL DOCTOR:

Bifenthrin is moderately toxic if swallowed and has low dermal and inhalation toxicity. It is non-irritating to the skin and practically non-irritating to the eyes. Bifenthrin has high toxicity by the ingestion route of exposure. Gastric lavage using an endotracheal tube may be preferred to vomiting. Reversible skin sensations (paresthesia) may occur and ordinary skin salves have been found useful in reducing discomfort. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Foam, CO₂ or dry chemical. Soft stream water fog only if necessary. Contain all runoff.

FIRE / EXPLOSION HAZARDS: Slightly combustible. This material may support combustion at elevated temperatures.

FIRE FIGHTING PROCEDURES: Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke, gases or vapours generated.

6. ACCIDENTAL RELEASE MEASURES

RELEASE NOTES:

Isolate and post spill area. Wear protective clothing and personal protective equipment as prescribed in Section 8, "Exposure Controls/Personal Protection". Keep unprotected persons and animals out of the area.

Keep material out of streams and sewers. IF LIQUID: Dike to confine spill and absorb with an absorbent such as clay, sand, or soil. IF SOLID: Large spills should be covered to prevent dispersal. For dry material, use a wet sweeping compound or water to prevent the formation of dust. If water is used, prevent runoff or dispersion of excess liquid by diking and absorbing with a non-combustible absorbent such as clay, sand, or soil. Vacuum, shovel or pump waste into a drum and label contents for disposal.

To clean and neutralize spill area, tools and equipment, wash with a suitable solution of caustic or soda ash, and an appropriate alcohol (i.e., methanol, ethanol or isopropanol). Follow this by washing with a strong soap and water solution. Absorb, as above, any excess liquid and add to the drums of waste already collected. Repeat if

necessary. Dispose of drummed waste according to the method outlined in Section 13, "Disposal Considerations".

7. HANDLING AND STORAGE

HANDLING AND STORAGE: Store in a cool, dry, well-ventilated place. Do not use or store near heat, open flame or hot surfaces. Store in original containers only. Keep out of reach of children and animals. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: General air replacement or dilution ventilation is sufficient for material handling and storage, but local ventilation should be used when removing this product from containers. Ventilate all transport vehicles prior to unloading.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For splash, mist, vapour or dust exposure wear chemical protective goggles or a face shield.

RESPIRATORY: For splash, mist, vapour or dust exposure wear, as a minimum, a properly fitted half-face or full-face air-purifying respirator which is approved for pesticides (U.S. NIOSH/MSHA, EU CEN or comparable certification organization). Respirator use and selection must be based on airborne concentrations.

PROTECTIVE CLOTHING: Depending upon concentrations encountered, wear coveralls or long-sleeved uniform and head covering. For larger exposures as in the case of spills, wear full body cover barrier suit, such as a PVC suit. Leather items - such as shoes, belts and watchbands - that become contaminated should be removed and destroyed. Launder all work clothing before reuse (separately from household laundry).

GLOVES: Wear chemical protective gloves made of materials such as rubber, neoprene, or PVC. Thoroughly wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.

WORK HYGIENIC PRACTICES: Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking or using tobacco. Shower at the end of the workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: Very faint slightly sweet

APPEARANCE: Viscous liquid, crystalline solid, or waxy solid

DENSITY / WEIGHT PER VOLUME: 10.07 lb/gal. (1210 g/L)

FLASH POINT: 165 °C (329 °F) (PM-CC)

MELTING POINT: 57 - 64 °C (135 - 147 °F)

MOLECULAR WEIGHT: 422.88 (bifenthrin)

pH: 5.4 - 6.0 @ 25 °C

SOLUBILITY IN WATER: Less than 0.1 ppb

SPECIFIC GRAVITY: 1.21 @ 25 °C (water = 1)

VAPOR PRESSURE: 1.81 x 10⁻⁷ mm Hg @ 25°C

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID: Excessive heat and fire.

STABILITY: Stable

POLYMERIZATION: Will not occur

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, hydrogen chloride and hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Practically non-irritating (rabbit)

SKIN EFFECTS: Non-irritating (rabbit)

DERMAL LD50: > 2,000 mg/kg (rabbit)

ORAL LD50: 53.4 mg/kg (rat)

INHALATION LC50: 0.8 mg/l (4 h) (rat)

SENSITIZATION: This product produces skin sensitization (allergic reaction) in laboratory animals, and may produce similar effects in humans.

ACUTE EFFECTS FROM OVEREXPOSURE: Bifenthrin is moderately toxic if swallowed and has low dermal and inhalation toxicity. It is non-irritating to the skin and practically no irritating to the eyes. Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including convulsions, tremors and bloody nasal discharge. Bifenthrin does not cause acute delayed neurotoxicity. Experience to date indicates that contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These sensations are reversible and usually subside within 12 hours.

CHRONIC EFFECTS FROM OVEREXPOSURE: In studies with laboratory animals, bifenthrin did not cause reproductive toxicity or teratogenicity. Tremors were associated with repeated exposure of laboratory animals to bifenthrin. In lifetime feeding studies conducted with rodents, a slight increase in the incidence of urinary bladder tumours at the highest dose in male mice was considered to be an equivocal response, not evidence of a clear compound-related effect. The overall absence of genotoxicity has been demonstrated in mutagenicity tests with bifenthrin.

CARCINOGENICITY:

NTP: Not listed

IARC: Not listed

OSHA: Not listed

OTHER: (ACGIH) not listed

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Bifenthrin has moderate stability in the soil under aerobic conditions (half-life range from 65 - 125 days depending on soil type) and is stable at a wide range of pH values. Bifenthrin has a high Log Pow (>6.0), a high affinity for organic matter, and is not mobile in soil. Therefore, there is little potential for movement into ground water. There is the potential for bifenthrin to bio concentrate (BCF = 11,750).

ECOTOXICOLOGICAL INFORMATION: Bifenthrin is highly toxic to fish and aquatic arthropods and LC50 values range from 0.0038 to 17.8 µg/L. In general, the aquatic

arthropods are the most sensitive species. Care should be taken to avoid contamination of the aquatic environment. Bifenthrin had no effect on molluscs at its limit of water solubility. Bifenthrin is only slightly toxic to both waterfowl and upland game birds (LD50 values range from 1,800 mg/kg to >2,150 mg/kg).

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Open dumping or burning of this material or its packaging is prohibited. If spilled material cannot be disposed of by use according to label instructions, an acceptable method of disposal is to incinerate in accordance with local, state and national environmental laws, rules, standards and regulations. However, because acceptable methods of disposal may vary by location and regulatory requirements may change, the appropriate agencies should be contacted prior to disposal.

EMPTY CONTAINER: Non-returnable containers that held this material should be cleaned, prior to disposal, by triple rinsing. Containers which held this material may be cleaned by being triple rinsed, and recycled, with the residue being incinerated. Do not cut or weld metal containers. Vapours that form may create an explosion hazard.

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

PACKAGING TYPE: LIQUID: Non-bulk

PROPER SHIPPING NAME: Pyrethroid pesticide, liquid, toxic

TECHNICAL NAME(S): Bifenthrin

PRIMARY HAZARD CLASS / DIVISION: 6.1

PACKING GROUP: III

LABEL(S): 6.1

PLACARD(S): 6.1

MARKING(S): Pyrethroid pesticide, liquid, toxic (bifenthrin), UN 3352

PACKAGING TYPE: SOLID: Non-bulk

PROPER SHIPPING NAME: Pyrethroid pesticide, solid, toxic

TECHNICAL NAME(S): Bifenthrin

INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

PACKAGING TYPE: LIQUID: Non-bulk

PROPER SHIPPING NAME: Pyrethroid pesticide, liquid, toxic

TECHNICAL NAME(S): Bifenthrin

PRIMARY HAZARD CLASS / DIVISION: 6.1

15. OTHER INFORMATION

All information and instructions provided in this Material Safety Data Sheet (MSDS) are based on the current state of scientific and technical knowledge at the date indicated on the present MSDS and are presented in good faith and believed to be correct. This information applies to the product as such. In case of new formulations or mixes, it is necessary to ascertain that a new danger will not appear. It is the

responsibility of persons on receipt of this MSDS to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produce formulations containing this product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from this MSDS to their own MSDS.

16. EMERGENCY CONTACT DETAILS

Royal Agro Organic Pvt. Ltd.

Corporate Office: - The Business Hub, Office No. 410 to 415, 4th Floor,

Above Ford Showroom, Karve Road,

Kothrud, Pune – 411038 (MAH- INDIA).

Contact No. : - 020 65257474

Factory: - Gat No.-681, M.NO.1083, Pargaon-Khandala,

Dist.-Satara - 412802. (MAH-INDIA)

Contact No. -09422405074, 9422867474.

E-mail:- sales@royalgroupglobal.in

Visit us at: - www.royalagro.com , www.royalgroupglobal.in

-----END OF MSDS-----